

Board met at 10 o'clock A. M. this 7th day of April, A. D. 1920, pursuant to adjournment of April, 6th. 1920. Roll call showing present, Commissioners Robert T. Wood, Andrew W. Rasmussen and Wm. A. McKay, Chairman and R. A. Magor, Clerk.

Proceedings were had as follows, to-wit:-

Bills were presented and acted on as follows:-

	Presented.	Allowed.
Irving & Larsen. Draying and freight paid	16.80	16.80
J. E. Bangs, Salary Constable 2 quarter	50.00	50.00
Bennett Hwd. Co. Supplies and repairs Court House	46.95	46.95
John Gronlund. Salary Constable 2nd. quarter	50.00	50.00
Mountain States Tel. & Tel. Co. Phone expense	113.00	113.00
H. Rasmussen, Premium on Bond	6.00	6.00
Rawlins Electric Light & Fuel Co. Light Court House	45.50	45.50
P. P. Murphy. Salary Justice of the Peace and Election	58.33	58.33
Emil Nordlund. Ice for Court House	17.75	17.75
F. M. Johnston Motor Co. Supplies Sheriff	2.76	2.76
W. T. Peryam. Salary and Exp. Registration Agent	20.00	20.00
J. F. Metcalf. Salary Registration Agent	12.00	12.00
Harris Mercantile Co. Hall Rent and expense Election	37.85	37.85
D. L. Condon, Salary and exp. Registration Agent.	22.90	22.90
E. W. Reader, Insurance premium on Poor Farm	168.75	168.75
Homer A. France, Insurance premium Court House	38.13	38.13
Gertrude H. Merrell. Insurance premium Court House	72.50	72.50
Breitenstein & Murphy. Insurance premium Court House	38.13	38.13
Geo. A. Bible. Insurance premium Court House	49.63	49.63
A. F. Thode, Insurance premium Court House	38.00	38.00
H. Rasmussen, Insurance premium Court House	38.00	38.00
W. E. France, Insurance premium Court House	31.50	31.50
Louis Schalk, Insurance premium Court House	43.80	43.80
V. M. Angier, Salary Registration Agent	12.00	12.00
L. D. Peck, Salary and Exp. Registration Agent	13.12	13.12
Joseph Richardson, Salary Registration Agent	5.00	5.00
Phil Duke, Salary and Exp. Registration Agent	5.70	5.70
Ed. Bailey, Salary Registration Agent	12.00	12.00
H. F. Burch, Salary and Exp. Registration Agent	13.42	13.42
Ed. Cohagen, Expense Election booths	7.50	7.50
Snake River Sentinel. Printing	18.00	18.00
A. Sproatt. Salary and Exp. Registration Agent	13.45	13.45
Geo. Kuntzman, Expense Election	5.00	5.00
Claud Schockley, Salary election messenger	15.68	15.68
Thomas Love, Hall rent election	15.00	15.00
F. R. Schoen and J. S. Evans, Salary Registration Agents	40.00	40.00
H. K. Bennett, Painting and repairs Court House	239.50	239.50
W. F. Daley, Coal Court House and P. & P.	154.50	154.50
A. A. Sanders, Salary and Expense Sheriff	275.60	275.60
A. A. Sanders, Boarding Prisoners	179.90	179.90

Board adjourned to meet at 2 o'clock P. M.

Clerk.

Board met at 2 o'clock P. M. this 7th day of April A. D. 1920, pursuant to adjournment of morning session. Roll call showing all members present.

Proceedings were had as follows, to-wit:-
BONDS.

Bonds were presented and approved as follows:-

Cora B. Deaton, Deputy County Assessor \$ 2000.00

REPORTS.

Reports of Justices of the Peace, P. P. Murphy, Jno. C. Friend, J. H. Crawford, S. Park County Treasurer and C. E. Cooper for Stock inspection, were read and ordered filed.

COUNTY DEPOSITORIES.

Applications as depositories of County Funds were presented from the First National Bank of Rawlins, The Rawlins National Bank and the Stock Growers National Bank of Rawlins. On motion by Commissioner Rasmussen and seconded by Commissioner Wood, the above named banks were accepted as County Depositories and the rate of interest to be the same as in the year 1919. Motion unanimously carried.

County Assessor C. A. Conyers submitted the appointment of Mr. John Mc Neis as Deputy Assessor for School Districts Nos. 25, 19 & 2 and 32 of Carbon County, Wyo. for the approval of the Board.

It was moved by Commissioner Wood and Seconded by Commissioner Rasmussen that the above appointment be and the same is hereby confirmed. Motion carried.

Bills were presented and acted on as follows:-	Presented.	Allowed.
W. P. Mills. Salary and Exp. Under Sheriff	160.72	160.72
S. Park. Cash paid for Freight, Lease, election and etc.	143.80	143.80
Globe Wernicke Co. Book cases for Judge's office	129.38	129.38
City Steam Laundry, Laundry and cleaning carpets	40.55	40.55
F. F. Hansen, Salary Deputy Sheriff, 3 months	75.00	75.00
C. M. Wilcox, Salary Registration Agent	9.00	9.00
Mrs. Fred Johnson, Care inmates Poor Farm	227.20	227.20
Mrs. M. Shreber. Supplies P. & P.	15.00	15.00
Ed. H. Parkison, Supplies P. & P.	10.00	10.00
Elk Mountain Trading Co. Supplies P. & P.	20.00	20.00
Saratoga & Encampment Ry. Co. Coal P. & P.	4.00	4.00
Harris Mercantile Co. Supplies Poor Farm	180.00	180.00
H. K. Bennett, Burial Pauper	60.00	60.00
Cullen Com. Co. Supplies P. & P.	10.00	10.00
C. M. Wilcox. Services P. & P.	10.00	10.00
C. C. Duncan. Stage fare P. & P.	8.00	8.00
Mrs. W. C. Sammons, Supplies P. & P.	5.10	5.10
Union Pacific Coal Co. Rent and Coal P. & P.	11.00	11.00
Harris Mercantile Co. Supplies Poor Farm	71.53	71.53
Saratoga Commercial Co. Supplies P. & P.	32.45	32.45
P. L. Welsh, Shoe Repair Poor Farm	3.10	3.10
E. F. Noyes, Services P. & P.	43.50	43.50
U. P. Coal Co. Supplies P. & P.	25.00	25.00
Workingmens Commercial Co. Supplies P. & P.	15.00	15.00
A. E. White. Services P. & P.	16.00	16.00
John Mc Nees, Salary and Exp Dep. Assessor	73.90	73.90

	Presented.	Allowed.
Jennie Radcliff. Expense Election	3.77	3.77
Edw. Fegan. Salary Registration Agent	20.00	20.00
Arthur Olofson, Salary and Exp. Registration Agent	19.08	19.08
Encampment Echo, Printing	20.94	20.94
W. C. Sammons, Payment of Statutes	7.50	7.50
I. N. Jones. Stove for Pest House	5.00	5.00
Austin Mfg. Co. Supplies R. & B.	3.60	3.60
Emil Fredericks. Salary and Exp. Registration Agent	19.73	19.73
D. M. Foreman. Salary election messenger	8.69	8.69
Wm. A. Mc Kay, Salary and Exp. Commissioner	89.61	89.61
A. W. Rasmussen, Salary and Exp. Comm'r. and R. & B.	160.75	160.75
R. T. Wood. Salary and Exp. Comm'r. and R. & B	147.75	147.75
Harry Hammas, Supplies R. & B	15.90	15.90
Chas. Seiloff, Services R. & B.	120.50	120.50
C. B. Glunz. Services R. & B.	12.00	12.00
W. E. Cobagen, Services R. & B.	6.00	6.00
Wm. H. Butler. Services R. & B.	120.00	120.00
Nels Eckman, Services R. & B	8.00	8.00
W. G. Reader, Services R. & B.	40.00	40.00
Dixon Lumber Co. Supplies R. & B.	106.67	106.67
Mrs. Nellie Francis. Widow's County aid	25.00	25.00
Mrs. Hattie Salas, Widow's County aid	15.00	15.00
Mrs. Mary Gaskell. Widow's County aid	15.00	15.00
Mrs. Ada Lloyd, Widow's County aid	15.00	15.00
Mrs. Grace Mc Gee. Widow's County aid	20.00	20.00
Mrs. Hilma Salo, Widow's County aid	20.00	20.00
Mrs. Gertrude Boam, Widow's County aid	15.00	15.00
Mrs. A. C. Nielson, Widow's County aid	30.00	30.00
Mrs. Ida Huhtala, Widow's County aid	10.00	10.00
Mrs. Eliza Richardson, Widow's County aid	15.00	15.00
Mrs. Mary Lucas, Widow's County aid	35.00	35.00
Mrs. Meta Spencer, Widow's County aid	15.00	15.00
Mrs. Mary Stebner, Widow's County aid	25.00	25.00
Mrs. N. E. Scribner, Widow's County aid	15.00	15.00
Mrs. Mary Harrison, Widow's County aid	20.00	20.00
Mrs. Nellie Hagan, Widow's County aid	25.00	25.00
Mrs. Regina Hadaman, Widow's County aid	20.00	20.00
Mrs. Marion Edwards, Widow's County aid	25.00	25.00
Mrs. Theresa Pierson, Widow's County aid	20.00	20.00
Rebates.		
Saratoga & Encampment Ry. Co. Rebate valuation of Pipe Line, Smelter and Tramway,		allowed. \$ 138.75

County Treasurer S. Park submitted a letter to the Board asking that the following tax sales, to-wit:- At the delinquent tax sale held on July 13. 1906 for Lots 16 and 17 in Block 87 in the Town of Encampment, for 1905 taxes and the one held on July 15. 1909, on Lots 15 in Block 28 in the Town of Encampment, Carbon County, Wyoming, be annulled for the purpose of correcting title to said property owing to errors.

It was moved by Commissioner Rasmussen and seconded by Commissioner Wood that the

two above mentioned sales be annuled in order to clear title to said property. Motion carried.

ROAD LOCATION.

The Clerk was instructed to advertise the location of The Lincoln Highway from Rawlins to Walcott and from Medicine Bow River west to the vicinity of Walcott, more particularly described as follows, to-wit:

TO ALL TO WHOM IT MAY CONCERN:

The board of County Commissioners have decided to locate The Lincoln Highway from Rawlins to Walcott and from Medicine Bow River west to the vicinity of Walcott, described as follows, to-wit:

RIGHT-OF-WAY of the LINCOLN HIGHWAY

From Rawlins to Walcott

In Carbon County, Wyoming.

Being the description of a parcel of land of a total width of 80 feet, being 40 feet on either side of and equi-distant from a center line, further described as follows:

Beginning at a point
 which is 839.6 ft. N. 78° 09' W. of a point
 which is 2660.9 " N. 69° 15' W " " "
 " " 2320.3 " N. 70° 20' W " " "
 " " 2739.8 " N. 75° 06' W " " "
 " " 1047.3 " S. 75° 04' W. " " "
 " " 413.5 " N. 75° 56' W. " " "
 " " 250.8 " S. 00° 52' E. of the Northeast corner of Section 23, T. 21 N., R. 87W.
 of the Sixth Principal Meridian, Wyoming.

691.0 Thence, S. 78° 09' E.
 To point of a 3° 00' curve to the right
 the radius of which is 1910.1 feet.
 Thence, along said curve, thru an angle of
 8° 54', a distance of
 296.7 To station 9 plus 87.7.

2512.3 Thence, S. 69° 15' E.
 To Station 35 plus 00

2201.1 Thence S. 70° 20' E.
 To point of a 2° 00' curve to the left
 the radius of which is 2864.9 feet
 Thence, along said curve, thru an angle of
 4° 46', a distance of
 238.3 To station 59 plus 39.4

2467.8 Thence, S. 75° 06' E.
 to point of a 10° 00' curve to the left
 the radius of which is 573.7 feet
 Thence, along said curve, thru an angle of
 29° 50', a distance of
 298.3 to station 87 plus 05.5

746.1 Thence, N. 75° 04' E.
 To point of a 10° 00' curve to the right
 the radius of which is 573.7 feet
 Thence, along said curve, thru an angle of
 29° 00', a distance of
 290.0 To station 97 plus 41.6

265.1 Thence, S. 75° 56' E.
 To Station 100 plus 06.7
 Intersect line between sections 23 and 24
 T. 21 N., R. 87 W.
 Whence the NE corner of said section 23
 Bears N. 0° 52' W. 250.8 ft.

223.9 Thence, S. 75° 56' E.
 To point of a 2° 00' curve to the right
 the radius of which is 2864.9 feet
 Thence, along said curve, thru an angle of
 6° 46', a distance of
 338.3 to Station 105 plus 68.9

4674.0 Thence S. 69° 10' E.
 to point of a 2° 00' curve to the left
 the radius of which is 2864.9 feet
 Thence, along said curve, thru an angle of
 8° 40', a distance of
 433.3 to station 156 plus 76.2

566.8 Thence, S. 77° 50' E.
 To point of a 2° 00' curve to the left
 the radius of which is 2864.9 feet
 1291.7 Thence, along said curve, thru an angle of 25° 56', a distance of
 to station 175 plus 34.7

 158.6 Thence, N. 76° 20' E.
 to point of a 10° 00' curve to the right
 the radius of which is 573.7 feet
 Thence, along said curve, thru an angle of
 51° 30', a distance of
 515.0 to station 182 plus 08.3

 281.0 Thence, S. 52° 10' E.
 to point of a 10° 00' curve to the left
 the radius of which is 573.7 feet
 Thence, along said curve, thru an angle of
 57° 20', a distance of
 573.3 to station 188 plus 09.6

 992.4 Thence, N. 70° 30' E.
 to a point of a 4° 00' curve to the right
 the radius of which is 1432.7 feet
 Thence, along said curve, thru an angle of
 38° 20', a distance of
 958.2 to station 207 plus 60.2

 146.1 Thence, S. 71° 10' E.
 to point of a 4° 00' curve to the left
 the radius of which is 1432.7 feet
 Thence, along said curve, thru an angle of
 23° 10', a distance of
 579.2 to station 214 plus 85.5

 1914.5 Thence, N. 85° 40' E.
 to station 234 plus 00
 Thence N. 83° 55' E.
 3500.0 to station 269 plus 00

 4891.4 Thence, N. 84° 55' E.
 To point of a 4° 00' curve to the right
 the radius of which is 1432.7 feet
 Thence along said curve, thru an angle of
 31° 50', a distance of
 795.8 to station 325 plus 87.2

 725.2 Thence, S. 63° 15' E.
 To point of a 4° 00' curve to the left
 the radius of which is 1432.7 feet
 Thence, along said curve, thru an angle of
 28° 55', a distance of
 722.9 To station 340 plus 35.3 back equals
 station 337 plus 69.4 ahead

 4230.6 Thence, N. 87° 50' E.
 To station 380 plus 00
 Thence, N. 87° 47' E.
 6500.0 to Station 445 plus 00

 4096.4 Thence, N. 87° 52' E.
 To point of a 1° 00' curve to the left
 the radius of which is 5729.7 feet
 Thence, along said curve, thru an angle of
 6° 04', a distance of
 606.7 To station 492 plus 03.1

 15.1 Thence, N. 81° 48' E.
 To point of a 2° 00' curve to the right
 the radius of which is 2864.9 feet
 Thence, along said curve, thru an angle of
 12° 50', a distance of
 641.7 To station 498 plus 59.9

 95.7 Thence, S. 85° 22' E.
 To point of a 2° 00' curve to the left
 the radius of which is 2864.9 feet
 Thence, along said curve, thru an angle of
 6° 46', a distance of
 338.3 To station 502 plus 93.9

 9339.2 Thence, N. 87° 52' E.
 To point of a 1° 00' curve to the right
 the radius of which is 5729.7 feet
 Thence along said curve, thru an angle of
 5° 20', a distance of
 533.3 To station 601 plus 66.4

6125.4 Thence, S. 86° 48' E.
 To point of a 4° 00' curve to the left
 the radius of which is 1432.7 feet
 Thence along said curve, thru an angle of
 28° 00', A distance of
 700.0 to station 669 plus 91.8

1876.2 Thence, N. 65° 12' E.
 To point of a 6° 00' curve to the right
 the radius of which is 955.4 feet
 Thence, along said curve, thru an angle of
 38° 20', a distance of
 638.9 To station 695 plus 06.9

397.9 Thence, S. 76° 28' E.
 To point of a 10° 00' curve to the right
 the radius of which is 573.7 feet
 Thence, along said curve, thru an angle of
 25° 10', a distance of
 251.7 To station 701 plus 56.5

202.2 Thence, S. 51° 18' E.
 To point of a 20° 00' curve to the left
 the radius of which is 287.9 feet
 Thence, along said curve, thru an angle of
 44° 00', a distance of
 220.0 To Station 705 plus 78.7

357.2 Thence, N. 84° 42' E.
 To point of a 16° 00' curve to the right
 the radius of which is 359.3 feet
 Thence, along said curve, thru an angle of
 42° 20', a distance of
 264.6 To station 712 plus 00.5

154.9 Thence, S. 52° 58' E.
 To point of a 10° 00' curve to the left
 the radius of which is 573.7 feet
 thence, along said curve, thru an angle of
 24° 50', a distance of
 248.3 To Station 716 plus 03.7

177.1 Thence, S. 77° 48' E.
 To point of a 20° 00' curve to the right
 the radius of which is 287.9 feet
 Thence, along said curve, thru an angle of
 59° 00', a distance of
 295.0 To station 720 plus 75.8

8.7 Thence, S. 18° 48' E.
 To point of a 12° 00' curve to the left
 the radius of which is 478.3 feet
 Thence, along said curve, thru an angle of
 36° 00', a distance of
 300.0 To station 723 plus 84.5

615.5 Thence, S. 54° 48' E.
 To station 730 plus 00
 328.6 Thence, S. 50° 48' E.
 To point of a 5° 00' curve to the left
 the radius of which is 1146.3 feet
 Thence, along said curve, thru an angle of
 29° 00', a distance of
 580.0 To Station 739 plus 08.6

34.7 Thence, S. 79° 48' E.
 To point of a 29° 00' curve to the left
 the radius of which is 199.7 feet
 Thence, along said curve, thru an angle of
 79° 40', a distance of
 274.7 To station 742 plus 18.0

283.0 Thence, N. 20° 32' E.
 To point of a 10° 00' curve to the right
 the radius of which is 573.7 feet
 Thence, along said curve, thru an angle of
 25° 46', a distance of
 257.7 To station 747 plus 58.7

834.9 Thence, N. 46° 18' E.
 To station 755 plus 93.6 = station 0 plus 00

Whence the NW corner of Section 24,
 T. 21 N., R. 85 W.
 Bears N. 20° 10' W. 992.8 feet

775.4 Thence, N. 46° 18' E.
 To point of a 20° 00' curve to the right
 the radius of which is 287.9 feet
 Thence, along said curve, thru an angle of
 78° 20', a distance of
 391.6 To Station 11 plus 67.0

1333.0 Thence, S. 55° 22' E.
To station 25 plus 00

1876.9 Thence, S. 56° 52' E.
To point of a 14° 00' curve to the right
the radius of which is 410.3 feet
Thence, along said curve, thru an angle of
64° 20', a distance of
459.5 To station 48 plus 36.4

197.2 Thence, S. 7° 28' W.
To point of a 10° 00' curve to the left
the radius of which is 573.7 feet
Thence, along said curve, thru an angle of
41° 20', a distance of
413.3 To station 54 plus 46.9

315.0 Thence, S. 38° 52' E.
To point of a 2° 00' curve to the left
the radius of which is 2864.9 feet
Thence, along said curve, thru an angle of
9° 30', a distance of
475.0 To station 62 plus 36.9

927.7 Thence, S. 43° 22' E.
To station 71 plus 64.6
Intersect line between sections 24, T. 21 N., R. 85 W.
and section 19, T. 21 N., R. 85 W.
Whence the SE corner of said section 24,
T. 21 N., R. 85 W. bears South 903.8 feet

2985.3 Thence, S. 43° 22' E.
To point of a 2° 00' curve to the right
the radius of which is 2864.9 feet
Thence, along said curve, thru an angle of
6° 00', a distance of
300.0 To station 104 plus 49.9

2293.7 Thence, S. 37° 22' E.
To point of a 2° 00' curve to the left
the radius of which is 2864.9 feet
Thence, along said curve, thru an angle of
24° 40', a distance of
1233.3 To station 139 plus 76.9

2239.2 Thence, S. 62° 02' E.
To point of a 1° 00' curve to the left
the radius of which is 5729.7 feet
Thence, along said curve, thru an angle of
7° 40', a distance of
766.7 To station 169 plus 82.8

4317.2 Thence, S. 69° 42' E.
To station 213 plus 00

1913.7 Thence, S. 72° 22' E.
To point of a 4° 00' curve to the right
the radius of which is 1432.7 feet
Thence, along said curve, thru an angle of
37° 50', a distance of
937.5 To station 241 plus 51.2

1167.9 Thence, S. 34° 52' E.
To point of a 10° 00' curve to the right
the radius of which is 573.7 feet
Thence, along said curve, thru an angle of
35° 00', a distance of
350.0 To station 256 plus 69.1

171.4 Thence, S. 0° 08' W.
To point of a 12° 00' curve to the left
the radius of which is 4781.3 feet
Thence, along said curve, thru an angle of
84° 30', a distance of
704.2 To station 265 plus 44.7

830.8 Thence, S. 84° 22' E.
To station 273 plus 75.5
Intersect line between sections 33 and 34 T. 21 N., R. 84 W.
Whence the SE corner of said section 33
bears S. 0° 40' W. 539.9 ft.

2054.3 Thence, S. 84° 22' E.
to point of an 8° 00' curve to the left
the radius of which is 716.8 feet
Thence, along said curve, thru an angle of
36° 20', a distance of
454.2 To station 298 plus 84.0.

740.0 Thence, N. 59° 18' E.
To point of a 6° 00' curve to the right
The radius of which is 955.4 feet
Thence, along said curve, thru an angle of
30° 00', a distance of
500.0 To station 311 plus 24.

8.8 Thence, N. 89° 18' E.
To point of a 3° 45' curve to the left
the radius of which is 1528.2 feet
Thence along said curve, thru an angle of
34° 00' a distance of
906.7 To station 320 plus 39.5

160.5 Thence, N. 55° 18' E.
To station 322 plus 00 and of project
which is 627.7 ft. N. 55° 18' E. of a point
" " 732.0 " N. 89° 18' E. " " "
" " 1231.2 " N. 59° 18' E. " " "
" " 2289.5 " S. 84° 22' E. of a point
" " 539.9 " N. 0° 40' E. of the
SE corner of section 33, T. 21 N., R. 84 W.

RIGHT-OF-WAY OF THE LINCOLN HIGHWAY
From MEDECINE BOW RIVER west to WALCOTT
In CARBON COUNTY, WYOMING,

Being the description of a parcel of land of a total width of 80 feet, being 40 feet on either side of and equi-distant from a center line, further described as follows:

Beginning at a point, station 230 plus 00
which is 6350.8 feet N. 58° 50' W. of a point which is 441.0 feet N. 0° 05' W. of the
SE corner of section 14, T. 22 N. Range 78 W. of the 6th Principal Meridian, Wyoming.

1100.0 Ft Thence, N. 58° 50' W.
To station 241 plus 00

6749.8 Ft Thence N. 59° 50' W.
To point of a 2° 00' curve to the right
the radius of which is 2864.9 feet.
Thence along said curve, through an angle of
6° 00' a distance of
300.0 Ft To station 311 plus 49.8

1171.1 " Thence N. 53° 50' W.
To a point of a 3° 00' curve to the left
the radius of which is 1910.1 feet.
Thence, along said curve, through an angle of
37° 10', a distance of
1238.9 " To station 335 plus 59.8

1954.3 " Thence S. 89° 00' W.
To station 355 plus 14.1

2010.0 " Thence N. 87° 35' W.
To station 375 plus 24.1 East corporate limits.
of Medicine Bow.

403.9 " Thence S. 76° 05' W.
To station 379 plus 28.0

209.0 " Thence S. 4° 25' E.
To station 382 plus 18.

300.00" Thence S. 83° 35' W.
To station 385 plus 18.0 West corporate limits.
of Medicine Bow.

Note: Station 375 plus 24.1 to station
385 plus 18 not included in this project

1819.9 ft. Thence, S. 47° 05' W.
To point of 10° 00' curve to the right
the radius of which is 573.7 feet.
Thence, along said curve, through an angle of
40° 30', a distance of
405.0 " To station 407 plus 42.9 = 407 plus 61.3

1516.8 " Thence, S. 87° 35' W.
To point of a 2° 00' curve to the left
the radius of which is 2864.9 feet.
Thence, along said curve, through an angle of
12° 00', a distance of
600.0 " To station 428 plus 78.1

Thence, S. 75° 35' W.
 3041.4 Ft. To point of a 1° 00' curve to the right
 the radius of which is 5729.6 feet.
 Thence, along said curve, through an angle of
 4° 30', a distance of
 450.0 " To station 453 plus 69.5

Thence, S. 80° 05' W.
 209.5 " To station 465 plus 79.0
 Intersect line between section 7, T. 22 N.,
 R. 78 W. and section 12, T. 22 N., R. 79 W.
 Whence, the SE corner of said section 12,
 T. 22 N., R. 79 W. bears N. 0° 20' E. 751.7 Ft.

Thence, S. 80° 05' W.
 5354.2 " To station 519 plus 33.2
 Intersect line between sections 13 and 14,
 T. 22 N., R. 79 W.
 Whence the NW corner of said section 13
 bears North 151.0 ft.

Thence, S. 80° 05' W.
 1275.8 " To point of a 4° 00' curve to the left
 the radius of which is 1432.7 feet.
 Thence, along said curve, through an angle of
 41° 20', a distance of
 1033.3 " To station 542. plus 42.3

Thence, S. 38° 45' W.
 4730.9 " To point of a 3° 30' curve to the right
 the radius of which is 2292 feet.
 Thence, along said curve, through an angle of
 42° 00', a distance of
 1680.0 " To station 606 plus 53.2

Thence, S. 80° 45' W.
 826.4 " To point of a 3° 45' curve to the left
 the radius of which is 1528.2 feet.
 Thence, along said curve, through an angle of
 85° 00', a distance of
 2266.7 " To station 637 plus 46.3

Thence, S. 4° 15' E.
 200.2 To point of a 6° 00' curve to the right
 the radius of which is 955.4 feet
 Thence, along said curve, through an angle of
 84° 00', a distance of
 1400.0 To station 653 plus 46.5

Thence, S. 79° 45' W.
 1287.2 To station 666 plus 33.7
 Intersect line between sections 21 and 22,
 T. 22 N., R. 79 W.
 Whence the SE corner of said section 21,
 bears S. 0° 03' E. 2020.8 Ft.

Thence, S. 79° 45' W.
 5381.3 To station 720 plus 15.0
 Intersect line between sections 20 and 21,
 T. 22 N., R. 79 W.
 Whence, the SE corner of said section 20 bears
 N. 0° 04' E. 1114.5 ft.

Thence, S. 79° 45' W.
 277.8 To point of a 3° 00' curve to the left
 the radius of which is 1910.1 feet.
 Thence, along said curve, through an angle of
 32° 00', a distance of
 1066.7 To station 733 plus 59.5

Thence, S. 47° 45' W.
 635.1 635 To point of a 3° 00' curve to the right
 the radius of which is 1910.1 feet.
 Thence, along said curve, through an angle of
 57° 00', a distance of
 1900.0 To station 758 plus 94.6

Thence, N. 75° 15' W.
 1258.7 To point of a 1° 00' curve to the right
 the radius of which is 5729.6 feet.
 Thence, along said curve, through an angle of
 6° 40', a distance of
 666.2 To station 778 plus 19.5

Intersect line between sections 19 and 20,
 T. 22 N., R. 79 W.
 Whence, the SW corner of said section 20
 bears S. 0° 12' W. 275.3 ft.
 Thence, along said curve, through an angle of
 0° 20', a distance of
 33.8 To station 778 plus 53.3.

1246.1 Thence, N. 68° 15' W.
To point of a 4° 00' curve to the left
the radius of which is 1432.7 feet.
Thence, along said curve, through an angle of
27° 30', a distance of
687.5 To station 797 plus 86.9

818.1 Thence, S. 84° 15' W.
To point of a 2° 00' curve to the left the
the radius of which is 2864.9 feet.
Thence, along said curve, through an angle of
40° 30', a distance of
2025.0 To station 826 plus 30.7

3815.3 Thence, S. 43° 45' W.
To point of a 2° 00' curve to the right
the radius of which is 2864.9 feet.
Thence, along said curve, through an angle of
34° 40', a distance of
1733.3 To station 881 plus 79.3

RIGHT-OF-WAY of the LINCOLN HIGHWAY

From CARBON west to WALCOTT

IN CARBON COUNTY? WYOMING.

5290.2 Thence, S. 78° 25' W.
to point of a 3° 00' curve to the left
the radius of which is 1910.1 ft.
Thence, along said curve, through an angle of
47° 00', a distance of
1566.7 to station 950 plus 36.2

1440.6 Thence, S. 31° 25' W.
to station 964 plus 76.8
Intersect line between sections 34 and 35
T. 22 N., R. 80 W.
Whence the NW corner of said section 35
bears N. 0° 08' E. 1501.7 ft.

287.4 Thence, N. 31° 25' W.
to point of a 4° 00' curve to the right
the radius of which is 1432.7 ft.
Thence, along said curve, through an angle of
40° 40', a distance of
1016.7 to station 977 plus 80.9

262.8 Thence, S. 72° 05' W.
to point of a 2° 00' curve to the left
the radius of which is 2864.9 ft.
Thence, along said curve, thru an angle of
9° 00', a distance of
450.0 to station 984 plus 93.7

137.8 Thence, S. 63° 05' W.
to point of a 4° 00' curve to the right
the radius of which is 1432.7 ft.
Thence, along said curve, thru an angle of
28° 00', a distance of
700.0 to station 993 plus 31.5

253.5 Thence, N. 88° 55' W.
to point of a 4° 00' curve to the left
the radius of which is 1432.7 ft
Thence, along said curve, thru an angle of
17° 00', a distance of
425.0 to station 1000 plus 10.0

490.0 Thence, S. 74° 05' W.
to point of a 3° 00' curve to the right
the radius of which is 1910.1 ft.
Thence, along said curve, thru an angle of
12° 00', a distance of
400.0 to station 1009 plus 00

400.0 To a point of a 2° 00' curve to the right
the radius of which is 2864.9 ft
Thence, along said curve, thru an angle of
8° 00', a distance of
to station 1013 plus 00

1070.0 To a point of a 5° curve to the right
the radius of which is 1146.3 ft.
Thence, along said curve, thru an angle of
53° 30', a distance of
to station 1023 plus 70

3474.6 Thence, N. 32° 25' W.
 to point of a 6° 00' curve to the left
 the radius of which is 955.4 ft.
 Thence, along said curve, thru an angle of
 63° 00', a distance of
 1050.0 to station 1068 plus 94.6

2595.0 Thence, N. 84° 35' W.
 to station 1094 plus 89.6
 Intersect line between sections 28 and 29
 T. 22 N. R. 80 W.
 Whence the SW corner of said section 28
 bears S. 0° 05' E. 608 ft.

901.4 Thence, S. 84° 35' W.
 to point of a 2° 00' curve to the right
 the radius of which is 2864.9 ft.
 Thence, along said curve, thru an angle of
 10° 30', a distance of
 525.0 to station 1109. plus 16.0

2801.2 Thence, N. 84° 55' W.
 to point of a 3° 30' curve to the left
 the radius of which is 1637.3 feet
 Thence, along said curve, thru an angle of
 38° 00', a distance of
 1085.7 to station 1148. plus 02.9

Point of a 1. 00' curve to the left
 the radius of which is 5729.6 feet
 Thence, along said curve, thru an angle of
 2° 58', a distance of
 296.7 to station 1150 plus 99.6

Point of a 2° 00' curve to the left
 the radius of which is 2864.9 ft.
 Thence, along said curve, thru an angle of
 22° 00', a distance of
 1100.0 to station 1161 plus 99.6

307.2 Thence, S. 32° 07' W.
 to point of a 2° 00' curve to the right
 the radius of which is 2864.9 ft.
 Thence, along said curve, thru an angle of
 20° 00', a distance of
 1000.0 to station 1175 plus 06.8

297.2 Thence, S. 52° 07' W.
 to point of a 2° 00' curve to the left
 the radius of which is 2864.9 ft.
 Thence, along said curve, thru an angle of
 13° 00' a distance of
 650.0 to station 1184 plus 54

4555.0 Thence, S. 39° 07' W.
 to station 1230 plus 09
 Intersect line between section 6,
 T. 21 N., R. 80 W.
 and Section 1, T. 21 N., R. 81 W.
 Whence the NW corner of said section 6
 T. 21 N., R. 80 W. bears N. 0° 21' W. 282 ft

488.1 Thence, S. 39° 07' W.
 to point of a 3° 00' curve to the right
 the radius of which is 1910.1 ft.
 Thence, along said curve, thru an angle of
 32° 10', a distance of
 1072.2 to station 1245 plus 69.3

404.2 Thence, S. 71° 17' W.
 to point of a 2° 00' curve to the left
 the radius of which is 2864.9 ft.
 Thence, along said curve, thru an angle of
 14° 20', a distance of
 716.7 to station 1256 plus 90.2 \pm 1255 plus 90.2

1202.0 Thence, S. 56° 57' W.
 to station 1267 plus 92.2
 Thence, S. 54° 57' W.
 351.1 to point of a 3° 00' curve to the right
 the radius of which is 1910.1 ft.
 Thence, along said curve, thru an angle of
 22° 00', a distance of
 733.3 to station 1278 plus 76.6

193.2	Thence, S. 76° 57' W. to point of a 3° 00' curve to the left the radius of which is 1910.1 ft.
550	Thence, along said curve, thru an angle of 16° 30', a distance of to station 1286 plus 19.8
217.1	Thence, S. 60° 27' W. to station 1288 plus 36.9
1013.1	Thence, S. 63° 07' W. to point of a 7° 00' curve to the right the radius of which is 119.0 ft.
950	Thence, along said curve, thru an angle of 66° 30', a distance of to station 1308 plus 00
1000.0	Thence, N. 50° 23' W. to point of a 6° 00' curve to the left the radius of which is 955.4 ft.
900.0	Thence, along said curve, thru an angle of 54° 00', a distance of to station 1327 plus 00
2041.4	Thence, S. 75° 37' W. to point of a 1° 00' curve to the right the radius of which is 5729.6 ft.
616.7	Thence, along said curve, thru an angle of 6° 10', a distance of to station 1353 plus 58.1
1641.9	Thence, S. 81° 47' W. to station 1370 plus 00, End of Project
	which is 1950.5 ft. S. 81° 47' W. of a point which is 2836.8 ft. S. 75° 37' W. of a point which is 2023.7 ft. N. 50° 23' W. of a point which is 1550.0 ft. S. 63° 07' W. of a point which is 494.1 ft. S. 60° 27' W. of a point which is 841.4 ft. S. 76° 57' W. of a point which is 722.3 ft. S. 54° 57' W. of a point which is 1562.2 ft. S. 56° 57' W. of a point which is 1315.1 ft. S. 71° 17' W. of a point which is 1038.8 ft. S. 39° 07' W. of a point which is 282 ft. S. 0° 21' E. of the NE corner of section 1, T. 21, N. R. 81 W.
2693.5	Thence, S. 81° 47' W. To point of a 2° 00' curve to the left the radius of which is 2864.9 feet.
516.7	Thence, along said curve, through an angle of 10° 20', a distance of To station 1385 plus 68.3
813.7	Thence, S. 71° 27' W. To point of a 1° 00' curve to the right the radius of which is 5729.6 feet
600.0	Thence, along said curve, through an angle of 6° 00', a distance of To station 1399 plus 82.0
1616.9	Thence, S. 77° 27' W. To point of a 2° 00' curve to the right the radius of which is 2864.9 feet.
600.0	Thence, along said curve, through an angle of 12° 00', a distance of To station 1421 plus 98.9.
362.1	Thence, S. 89° 27' W. To point of a 3° 00' curve to the left the radius of which is 1910.1 feet
800.0	Thence, along said curve, through an angle of 24° 00' a distance of To station 1433 plus 61.0.
1272.6	Thence, S. 65° 27' W. To point of a 3° 00' curve to the right the radius of which is 1910.1 feet.
644.4	Thence, along said curve, through an angle of 19° 20', a distance of To station 1452 plus 78
2297.2	Thence, S. 84° 47' W. to point of a 2° 00' curve to the right the radius of which is 2864.9 feet.
616.7	Thence, along said curve, through an angle of 12° 20', a distance of To station 1481 plus 91.9

265.6	Thence, N. 82° 53' W. To point of a 3° 00' curve to the left the radius of which is 1910.1 feet. Thence, along said curve, through an angle of 17° 00', a distance of
566.7	To station 1490 plus 24.2
2586.4	Thence, S. 80° 07' W. To point of a 1° 00' curve to the right the radius of which is 5729.6 feet. Thence, along said curve, through an angle of 5° 30', a distance of
550.0	To station 1521 plus 60.6.
3714.5	Thence, S. 85° 37' W. To point of a 4° 00' curve to the left the radius of which is 1432.7 feet. Thence, along said curve, through an angle of 12° 39', a distance of
316.9	To station 1561 plus 92.0
258.1	Intersect line between section 7, T. 21 N., R. 81 W. and section 12, T. 21 N., R. 82 W. Whence the NW corner of said section 7 T. 21 N., R. 81 W. bears N. 0° 20' W. 1395 Ft. Thence, along said curve, through an angle of 10° 21', a distance of
837.2	To station 1564 plus 50.1
600.0	Thence, S. 62° 37' W. To point of a 3° 00' curve to the right the radius of which is 1910.1 feet. Thence, along said curve, through an angle of 18° 00', a distance of
340.4	To station 1578 plus 87.3.
2561.0	Thence, S. 80° 37' W. To station 1582 plus 27.7
427.8	Thence, S. 76° 37' W. To point of a 3° 00' curve to the right the radius of which is 1910.1 feet. Thence, along said curve, through an angle of 12° 50', a distance of
4652.2	To station 1612 plus 16.5
600.0	Thence, S. 89° 27' W. To point of a 2° 00' curve to the left the radius of which is 2864.9 feet. Thence, along said curve, through an angle of 12° 00', a distance of
817.7	To station 1664 plus 68.7.
966.7	Thence, S. 77° 27' W. To point of a 3° 00' curve to the right The radius of which is 1910.1 feet Thence, along said curve, through an angle of 29° 00', a distance of
1974.6	To station 1682 plus 53.1
766.7	Thence, N. 73° 33' W. To point of a 3° 00' curve to the left the radius of which is 1910.1 feet. Thence, along said curve, through an angle of 23° 00', a distance of
766.7	To station 1709 plus 94.4
1245.1	Thence, S. 83° 27' W. To point of a 2° 00' curve to the left the radius of which is 2864.9 feet. Thence, along said curve, through an angle of 4° 00', a distance of
200.0	To station 1724 plus 39.5.
460.0	Intersect line between section 9 and 10, T. 21 N., R. 82 W. Whence the E $\frac{1}{4}$ corner of said section 9 bears N. 0° 07' W. 125 ft. Thence, along said curve, through an angle of 9° 12', a distance of
1750.5	To station 1728 plus 99.5.
700.0	Thence, S. 70° 15' W. To point of a 2° 00' curve to the right the radius of which is 2864.9 feet. Thence, along said curve, through an angle of 14° 00', a distance of
	To station 1753 plus 50

2642.5 Thence, S. 84° 15' W.
 To station 1779 plus 92.5

4709.2 Thence, S. 82° 35' W.
 To point of a 2° 00' curve to the right
 the radius of which is 2864.9 feet.
 Thence, along said curve, through an angle of
 10° 00', a distance of

500.3 To station 1832 plus 02.0

Intersect line between sections 7 and 8,
 T. 21 N., R. 82 W.
 Whence the SW corner of said section 8
 bears S. 0° 05' E. 794.3 ft.
 Thence, along said curve, through an angle of 179
 17° 58', a distance of

898.0 To station 1841 plus 00

469.8 Thence, N. 69° 27' W.
 Station 1845 plus 689 = 1846 plus 69.8
 Point of a 1° 00' curve to the left
 the radius of which is 5729.7 feet.
 Thence, along said curve, through an angle of
 23° 18', a distance of

2330.0 To station 1869 plus 99.8

Point of a 3° 00' curve to the left
 the radius of which is 1910.1 feet
 Thence, along said curve, through an angle of
 15° 00', a distance of

500 To station 1874 plus 99.8.

3150.0 Thence, S. 72° 15' W.
 To point of a 1° 00' curve to the left
 the radius of which is 5729.7 feet.
 Thence, along said curve, through an angle of
 5° 00', a distance of

500.0 To station 1911 plus 49.8

728.9 Thence, S. 67° 15' W.
 To point of a 2° 00' curve to the right
 the radius of which is 2864.9 feet.
 Thence, along said curve, through an angle of
 1° 20', a distance of

66.3 To station 1919 plus 45.0

Intersect line between sections 12 and 13.
 T. 21 N., R. 83 W.
 Whence, the S $\frac{1}{4}$ corner of said section 12
 bears S. 89° 58' E. 432 ft.
 Thence, along said curve, through an angle of
 7° 30', a distance of

375.4 To station 1923 plus 20.4

1892.4 Thence S. 76° 05' W.
 To station 1942 plus 12.8
 Intersect line between sections 13 and 14
 T. 21 N. R. 83 W.
 Whence the NE corner of said section 14
 bears N. 3° 30' E. 583.3 ft.

1039.3 Thence, S. 76° 05' W.
 To point of a 3° 00' curve to the left
 the radius of which is 1910.1 feet.
 Thence, along said curve, through an angle of
 16° 00', a distance of

533.3 To station 1957 plus 85.4

68.3 Thence, S. 60° 05' W.
 To point of a 4° 00' curve to the right
 the radius of which is 1432.7 feet.
 Thence, along said curve, through an angle of
 25° 20', a distance of

633.3 To station 1964 plus 87

3125.7 Thence S. 85° 25' W.
 To station 1996 plus 12.7
 Intersect line between sections 14 and 15
 T. 21 N., R. 83 W.
 Whence, the W $\frac{1}{4}$ corner of said section 14
 bears S. 0° 23' W. 1058.8 ft.

265.0 Thence, S. 85° 25' W.
 To point of a 3° 00' curve to the right
 the radius of which is 1910.1 feet.
 Thence, along said curve, through an angle of
 13° 30', a distance of

450.0 To station 2003 plus 27.7

1872.3	Thence, N. 81° 05' W. To point of an 8° 00' curve to the left the radius of which is 716.8 feet. Thence, along said curve, through an angle of 32° 00', a distance of
400.0	To station 2026 plus 00
300.0	Thence, S. 66° 55' W. To point of a 4° 00' curve to the right the radius of which is 1432.7 feet. Thence, along said curve, through an angle of 32° 00', a distance of
800.0	To station 2037 plus 00
400.0	Thence, S. 81° 05' W. To point of a 4° 00' curve to the left the radius of which is 1432.7 feet. Thence, along said curve, through an angle of 40° 00', a distance of
1000.0	To station 2051 plus 00
1139.8	Thence, S. 58° 55' W. To point of a 6° 00' curve to the left the radius of which is 955.4 feet. Thence, along said curve, through an angle of 27° 36', a distance of
460.0	To station 2066 plus 99.8
100.2	Thence, S. 31° 19' W. To point of a 6° 00' curve to the right the radius of which is 955.4 feet. Thence, along said curve, through an angle of 46° 30', a distance of
775.0	To station 2075 plus 75.
1125.0	Thence, S. 77° 49' W. To point of a 6° 00' Curve to the left the radius of which is 955.4 feet. Thence, along said curve, through an angle of 6° 00', a distance of
100.0	To Station 2088 plus 00
300	XX Point of a 10° 00' curve to the left the radius of which is 573.7 feet. Thence, along said curve, through an angle of 30° 00', a distance of
1349.9	To station 2091 plus 00
100.0	Thence, S. 41° 49' W. To point of an 8° 00' curve to the left the radius of which is 716.8 feet. Thence, along said curve, through an angle of 8° 00', a distance of
4.6	To station 2105 plus 49.9
833.3	Thence, S. 33° 49' W. To point of a 6° 00' curve to the right the radius of which is 955.4 feet. Thence, along said curve, through an angle of 50° 00', a distance of
820.0	To station 2113 plus 87.8
948.8	Thence, S. 83° 49' W. To station 2122 plus 07.8
938.9	Thence, S. 81° 19' W. To point of a 3° 00' curve to the left the radius of which is 1910.1 feet. Thence, along said curve, through an angle of 28° 10', a distance of
1638.3	To station 2140 plus 95.5
725.0	Thence, S. 53° 09' W. To point of a 4° 00' curve to the right the radius of which is 1432.7 feet. Thence, along said curve, through an angle of 29° 00', a distance of
639.1	To station 2164 plus 58.8.
252.1	Thence, S. 82° 09' W. To point of a 3° 00' curve to the left the radius of which is 1910.1 feet. Thence, along said curve, through an angle of 7° 34', a distance of
	To station 2173 plus 50

Intersect line between sections 19 and 20,
T. 21 N., R. 83 W.
Whence, the E $\frac{1}{4}$ corner of said section 19
bears S. 0° 09' W. 710.3 ft.
Thence, along said curve, through an angle of
10° 30', a distance of
350.1 To station 2177 plus 00.1

Thence, S. 64° 05' W.
1699.9 To point of a 6° 00' curve to the left
the radius of which is 955.4 feet.
Thence, along said curve, through an angle of
66° 00', a distance of
1100.0 To station 2205 plus 00

Thence, S. 1° 55' E.
981.6 To point of a 3° 00' curve to the right
the radius of which is 1910.1 feet.
Thence, along said curve, through an angle of
16° 00', a distance of
533.3 To station 2220 plus 14.9.

Thence S. 14° 05' W.
385.1 To station 2224 plus 00.0

Thence, S. 11° 35' W.
300.0 To station 2227 plus 00

Thence S. 10° 35' W.
205.6 To point of a 5° 00' curve to the right
the radius of which is 1146.3 feet.
Thence, along said curve, through an angle of
46° 40', a distance of
933.3 To station 2238 plus 38.9

Thence, S. 57° 15' W.
2962.6 To point of a 2° 00' curve to the left
the radius of which is 2864.9 feet.
Thence, along said curve, through an angle of
15° 10', a distance of
758.3 To station 2275 plus 59.8

Thence, S. 42° 05' W.
1205.0 To point of a 4° 00' curve to the right
the radius of which is 1432.7 feet.
Thence, along said curve, through an angle of
26° 10', a distance of
654.2 To station 2294 plus 19.0

Thence, S. 68° 15' W.
863.6 To station 2302 plus 82.6
Intersect line between sections 25 and 36,
T. 21 N., R. 84 W.
Whence, the S $\frac{1}{4}$ corner of said section 25
bears S. 89° 55' E. 3391 ft.

Thence S. 68° 15' W.
2496.5 To station 2327 plus 79.1
Intersect line between sections 35 and 36
T. 21 N., R. 84 W.
Whence the NE Corner of said section 35
bears N. 0° 22' W. 929.4 ft.

Thence S. 68° 15' W.
4626.7 To point of a 2° 00' curve to the left
the radius of which is 2864.9 feet.
Thence, along said curve, through an angle of
19° 40', a distance of
983.3 To station 2383 plus 89.1

Thence, S. 48° 35' W.
230.2 To station 2386 plus 19.3
Intersect line between section 34 and 35
T. 21 N., R. 84 W.
Whence, the E $\frac{1}{4}$ corner of said section 34
bears N. 0° 15' E. 678.6 Ft.

Thence, S. 48° 35' W.
930.7 To station 2395 plus 50, End of Project,

Which is 930.7 feet S. 48° 35' W. of a point.
which is 678.6 feet S. 0° 15' W. of the east
Corner of Section 34, T. 21, N. R. 84 W.

All objections thereto or claims for damages by reason thereof must be filed in writing with the county clerk of said County, before noon on the Thirty-first (31) day of May; A. D. 1920 or such road will be established without reference to such objections or claims for damages .

Ramador
County Clerk.

Dated April; 8th. A. D. 1920.

There being no further business coming before the meeting it was moved by Commissioner Wood and seconded by Commissioner Rasmussen that the Board adjourn to meet again in regular session on May, 4th. 1920. Motion carried.

Wm. M. Kay
CHAIRMAN, BOARD OF COUNTY
COMMISSIONERS, CARBON COUNTY, WYO.

ATTEST *Ramador*
COUNTY CLERK AND CLERK OF SAID BOARD.